Beam Clip



Accessory

The Beam Clip is ideal for attaching Gripple hangers when access or drilling restrictions occur.

2.

FEATURES / BENEFITS


- Hammer-on installation
- Accommodates a wide variety of flange thicknesses
- Ideal for use with the Snap Hook End Fixing



INSTALLATION & ADJUSTMENT



SPECIFICATION



Product Code	A (mm)	B (mm)	C (mm)	Max SWL (kg)	Quantity
GCB24	2 - 4	6.5	27	15.3	100
GCP48	4 - 8	6.5	39	32.3	100
GCB814	8 - 14	6.5	41	32.3	100
GCB1420	14 - 20	6.5	47	32.3	100

Image: A state of the stat

RELATED PRODUCTS

Material: Spring steel (type CS70)

BUS-PI-ACC-ENG-5302 Published January 2022

www.gripple.com

 $\mathbf{C} \mathbf{C} \otimes \mathbf{O} \otimes \mathbf{$

Gripple's policy is one of continuous development and innovation. We therefore reserve the right to alter specifications, etc. without notice.

Vertical Flange Clip

EGRIPPLE

Accessory

For fixing to vertical flanges.

FEATURES / BENEFITS

- Hammer-on installation
- Two sizes available to suit 1 mm 5 mm and 5 mm 7 mm flange thickness
- Ideal for use with the Snap Hook End Fixing



INSTALLATION & ADJUSTMENT 2. 1. З. **SPECIFICATION** RELATED PRODUCTS For more options on related products please contact us or visit www.gripple.com SUBMITTAL INFORMATION Safe Working Load: 24.5 kg (3:1 safety factor) Material: Spring steel (type CS70) Max SWL (kg) Product Code A (mm) B (mm) C (mm) D (mm) Quantity GCVF15 6.5 1 - 5 19 39 24.5 100 5 - 7 19 40 24.5 100 GCVF57 6.5

BUS-PI-ACC-ENG-5304 Published January 2022

www.gripple.com

 $\textbf{C} \textbf{E} \otimes \textbf{A} \otimes \textbf{B} \otimes \textbf{B} \otimes \textbf{A} \otimes \textbf{B} \otimes \textbf{A} \otimes \textbf{$

Gripple's policy is one of continuous development and innovation. We therefore reserve the right to alter specifications, etc. without notice.

Purlin Clip



Accessory


Designed for fixing to purlins to allow fast suspension with wire using a Gripple Snap Hook fixing.


FEATURES / BENEFITS

- Easy installation clip into place
- Available to suit 4 mm 5 mm flange thickness
- Ideal for use with the Snap Hook End Fixing



INSTALLATION & ADJUSTMENT





BUS-PI-ACC-ENG-5300 Published January 2022

www.gripple.com

 $\mathsf{C} \mathsf{E} \otimes \mathfrak{S} \mathfrak{S} \otimes \mathfrak{S}$

Gripple's policy is one of continuous development and innovation. We therefore reserve the right to alter specifications, etc. without notice.

Z Purlin Clip




Accessory

Designed for fixing to purlins to allow fast suspension with wire.

FEATURES / BENEFITS

- Hammer-on installation
- Available to suit 2.5 mm maximum flange thickness
- Ideal for use with the Snap Hook End Fixing





BUS-PI-ACC-ENG-5301 Published January 2022

www.gripple.com

Gripple's policy is one of continuous development and innovation. We therefore reserve the right to alter specifications, etc. without notice.